

Kohlangaz

GAS FIRES
2025/26



MADE IN BRITAIN



Kohlangaz

Welcome

At Kohlangaz we know how important it is to create a stylish and relaxing living environment. That's why we've developed this collection of versatile and affordable gas fires to complement all tastes and lifestyles.

I believe our success stems from a combination of innovative design, investment in technology and the highest quality manufacturing standards. As a result all Kohlangaz fires carry a 5 year warranty to reflect my belief in their quality and durability.

Our experienced Kohlangaz retailers are hand-picked to give you the very best advice and service.

This brochure has been designed to make the purchase of your new Kohlangaz fire as simple as possible. I hope you will find it both informative and inspiring.



Michael Dwan



Today BFM Europe is the fastest growing domestic fire producer in the country with an unequalled reputation for quality and services.

Every Kohlangaz branded gas fire is developed and manufactured in Britain at our purpose built, state-of-the-art facility in Stoke-on-Trent.



Luxury wall insets



Traditional trim and frets



Designer fascias

Contents

An introduction to efficiencies	4
Before you begin	5

high efficiency

Conventional Flue

Suites – Glass Fronted

Volantra XT	6-7
Boticelli Volantra	8-9
Angelo Volantra	10-11
Pablo Volantra	12-13

Wall Inset – Glass Fronted

Ashbourne	14-15
Brandon	16-17
Volantra XT	18-19
Volantra	20-21

Hearth Inset – Glass Fronted

Desire Signature	22-23
Desire Parrilla	24-25
Gosford HE	26-27
Delamere HE	28-29

Hearth Inset – Open Fronted

Gosford Plus	30-31
Gosford	32-33
Delamere Plus	34-35
Marbury Plus	36-37

Balanced Flue

Hearth Inset – Glass Fronted

Durlston	38-39
----------------	-------

standard fires

Conventional Flue

Hearth Inset – Open Fronted

Marbury	40-41
Thetford	42-43
Delamere	44-45

accessories

Unleash Your Fire's Style

Fascias, Trims, Frets	46-51
-----------------------------	-------



All Kohlangaz gas fires carry the peace of mind of a 5 year Warranty subject to terms and conditions.

bsi. Product Testing & Certification

Kohlangaz fires are independently tested, approved and verified by the British Standards Institution (BSI) to meet the latest standards for performance, safety and efficiency.

BSI is an independent organization, free from government, industry, or shareholder influence. This objectivity enhances the authority of their assessments compared to those from organizations with vested interests.

With world-renowned expertise in gas and electrical product testing and certification, BSI boasts highly experienced staff and internationally recognized capabilities. Their extensive testing facilities and in-depth knowledge ensure our products undergo rigorous and impartial testing.



Compliant with the Eco design directive Commission Regulation (EU) 2015/1188.



Tested & Approved
Conforms to GB legislation

high efficiency

Get up to 93.5% energy efficiency from your gas fire...

Kohlangaz fires have set new industry standards with the introduction of the high efficiency range: exceptional heat output combined with lower running costs compared to standard gas fires or electric fires. Our team has invested in developing innovative technology to create energy-efficient gas fires, ultimately helping consumers reduce their energy costs and save money on their bills.

Conventional Flue Fires

Glass Fronted Fires



Gosford HE 86.3% - Pages 26-27

Our high-efficiency conventional flue fires deliver up to 86.3% energy efficiency. A front-facing glass panel maximizes radiant heat output from the fuel bed, directing it into the room while minimizing chimney losses. Additionally, convected heat is generated as cool air is drawn into the fire's base through the heat exchanger and emitted as warm air above the canopy.

Open Fronted Fires



Delamere Plus 68.3% - Pages 34-35

Our high-efficiency open-fronted fires offer up to 68.3% energy efficiency while replicating the look and feel of a traditional open fire. These fires provide both radiant heat emitted from the coal-effect fuel bed and convected heat generated by cool air drawn into the base, passing through a heat exchanger, and emitted as warm air above the canopy.

Balanced Flue Fires

Glass Fronted Fires



Durlston 93.5% - Pages 38-39

Our high-efficiency balanced flue fires offer up to 93.5% energy efficiency, perfect for homes without existing chimneys or flues. These fires feature a self-contained flue terminal that vents directly through an outside wall. As completely room-sealed appliances, they draw and vent external air for combustion through a pair of co-axial tubes, ensuring safe and efficient operation.



Marbury 3.1kW - Pages 40-41



Delamere 2.7kW - Pages 44-45

standardfires

Conventional Flue Fires

Open Fronted Fires

Standard fires can achieve a direct heat output of up to 3.1kW. It is recommended that these products are not suitable for use as a primary heat source, but are ideal if you are looking for a great fireplace feature for occasional use.

Before you begin

Type of Chimney or Flue

The type of fire you can install depends on your chimney or flue. If unsure, consult the simple guide below or compare your roof type. Note: Full-depth fires typically require a traditional chimney or a rebate on the fire surround, while slimline fires are compatible with most chimneys or flues



Brick Chimney

Apart from products designed for "no chimney" applications, all Kohlangaz products will fit brick chimneys. They are easily recognisable by a chimney stack with accompanying terracotta pot or gas terminal.



Pre-Fabricated Flue

Pre-fabricated flues are easily identifiable by a metal flue and terminal on the roof and a metal flue box behind the fire.



Pre-Cast Flue

Pre-cast flues can be identified by a ridge vent or metal flue tube and terminal on the roof. Constructed from concrete or clay blocks they form a rectangular section flue. All Kohlangaz fires featuring this icon are only suitable for pre-cast flues conforming to BS EN 1858.

Can't see a Chimney or Flue?

If you can't see a chimney or flue like the ones described above, then you will require a Balanced Flue fire.



Balanced Flue

Balanced Flue fires use a horizontal pipe to vent directly outside. An electricity supply is not required for Balanced Flue products.

Gas Supply

Every fire in this brochure is available in natural gas, and a selection are available in LPG.



Natural Gas

If you have a gas meter then you will have natural gas.



LPG

LPG is the most popular alternative to natural gas.

Controls



Manual Control

A simple and discreet control system located behind the fire's fascia or fret on inset fires.



Slide Control

Convenient control that eliminates the necessity of bending down.



Easy Flame Control (EFC)

Discreet, easy access buttons are used to ignite the fire and adjust heat and flame height.



Remote Control

The remote control handset is used to light the fire as well as to adjust the flame height and heat output.



Remote Control with Thermostat

The remote control handset can be used to light the fire as well as to adjust the flame height and heat output. In addition, the handset contains the extra benefit of a thermostatic control to regulate room temperature.

Fuel Bed Effects



Coal



Pebble



Log

Back Panels



Plain Black



Glossy Black Enamel



Volantra XT

highefficiency
Conventional Flue
Suite – Glass Fronted



The perfect blend of modern design and classic elegance. This Limestone surround pairs beautifully with the Volantra XT gas fire. Its sleek lines and gentle curves create a striking focal point that complements any interior style.

The gas fire features our latest Integrated Flame Burner Technology, delivers a captivating display of natural flames with powerful heat output. This stunning high performance suite offers both luxury and functionality, creating a cozy and inviting atmosphere.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected




Natural Gas

Useful energy efficiency	79.1%	
Energy efficiency class	E	
Direct heat output	4.8kW	
Fuel effect	Control type	Model Number
Log	Slide	HDCS971

Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally

Dimensions: mm





Boticelli Volantra

highefficiency
Conventional Flue Suite – Glass Fronted



The Boticelli Volantra Suite is a masterpiece of design, seamlessly blending traditional elegance with contemporary flair. Crafted from the finest Portuguese Limestone, its graceful curves and clean lines create a timeless focal point that complements both classic and modern interiors.

At its heart, the high-performance Volantra gas fire boasts our latest Integrated Flame Burner Technology for seamless natural flaming logs. The intuitive slide control ensures optimal comfort and provides effortless adjustment to your desired setting.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected




Natural Gas

Useful energy efficiency	76.3%	
Energy efficiency class	D	
Direct heat output	4.0kW	
Fuel effect	Control type	Model Number
Log	Slide	HPRS629

Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally

Dimensions: mm





Angelo Volantra

highefficiency
Conventional Flue Suite – Glass Fronted



Elevate your living space with the exquisite Angelo Volantra Suite. Its stunning blend of straight lines and soft curves, crafted from the finest Portuguese Limestone, creates a captivating focal point. The high-performance Volantra gas fire boasts our latest Integrated Flame Burner Technology for seamless, natural flaming logs, offering customizable heat settings, and ensuring optimal comfort. Enjoy effortless control and convenience with its discreet slide control operation.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected



Natural Gas

Useful energy efficiency	76.3%	
Energy efficiency class	D	
Direct heat output	4.0kW	
Fuel effect	Control type	Model Number
Log	Slide	HPRS347


Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally

Dimensions: mm

FRONT VIEW

SIDE VIEW



FRONT		SIDE		TOP	
A	1370	A	262	A	574
B	454	B	270		
C	260	C	750		
D	574	D	1070		
E	1370	E	380		
F	60	F	173		





Pablo Volantra

highefficiency
Conventional Flue Suite – Glass Fronted



Experience contemporary elegance with the Pablo Volantra Suite. Its minimalist design, crafted from premium Portuguese Limestone, creates a captivating centerpiece that transforms your living space. The high-performance Volantra gas fire, featuring our latest Integrated Flame Burner Technology, offers variable heat settings and a mesmerizing display of natural flames for unparalleled comfort and ambiance.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected




Natural Gas

Useful energy efficiency	76.3%	
Energy efficiency class	D	
Direct heat output	4.0kW	
Fuel effect	Control type	Model Number
Log	Slide	HPRS968

Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally

Dimensions: mm





Ashbourne

high efficiency

Conventional Flue
Wall Inset – Glass Fronted



The Ashbourne is a statement of pure luxury. This designer inset gas fire will not only deeply satisfy your heating requirement, but also aesthetically impress you with the most realistic and beautifully natural log fuel bed appearance. Between the raised logs, tall ascending bright flames flow and provide wonderful contrast against a reflective glossy black enamel interior.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected




Natural Gas

Useful energy efficiency	73.9%	
Energy efficiency class	E	
Direct heat output	3.6kW	
Fuel effect	Control type	Model Number
Log	Remote	HPHLCNRN2

Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally

Dimensions: mm



A	621
B	921
C	516
D	306
E	728

Optional: Spacer frames available for this product.

1" Black. Part no. 1125-135100P

2" Black. Part no. 1125-135110P



Black Nickel & Chrome fascia





Brandon

high efficiency

Conventional Flue
Wall Inset – Glass Fronted



Designed with petite proportions the Brandon inset gas fire is perfect for modern living areas where space can be at a premium. Beautiful dancing flames flow around highly realistic logs and form an attractive fuel bed with stunning contrast set against a glossy black enamel interior. The Brandon has been designed to make an impression. It will complement your home and provide long lasting efficient heat.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected




Natural Gas

Useful energy efficiency	81.4%	
Energy efficiency class	D	
Direct heat output	3.2kW	
Fuel effect	Control type	Model Number
Log	Remote	HHCLNRN

Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally

Dimensions: mm



A	549
B	810
C	460
D	315
E	631


Optional: Spacer frames available for this product.

1" Black. Part no. 1125-135120P

2" Black. Part no. 1125-135130P



Black Nickel & Chrome fascia





Volantra XT

high efficiency

Conventional Flue
Wall Inset – Glass Fronted



Unleash the magic of fire with the captivating Volantra XT gas fire. Its enchanting flames dance along realistic logs and create a stunning focal point. Featuring our latest Integrated Flame Burner Technology, the Volantra XT delivers a seamless, natural flame effect. The innovative slide control system allows for effortless adjustment of flame intensity and heat output, ensuring your desired level of comfort. Experience the perfect blend of style and warmth.

A range of fascia options available on Page 46-47.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected




Natural Gas

Useful energy efficiency	79.1%	
Energy efficiency class	E	
Direct heat output	4.8W	
Fuel effect	Control type	Model Number
Log	Slide	HDCLBESN


Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally

Dimensions: mm



TOP VIEW



FRONT

A	762
B	762
C	572
D	572

SIDE


A	259
B	16
C	9
D	698

TOP

A	574
---	-----



Black Nickel & Chrome fascia





Volantra

high efficiency

Conventional Flue
Wall Inset – Glass Fronted



The high-performance Volantra gas fire, featuring our latest Integrated Flame Burner Technology, offers sensational displays of natural flames with unparalleled comfort and ambiance. The intuitive slide control system ensures variable adjustment to your desired heating requirements.

A range of fascia options available on Page 48-49.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected



Natural Gas

Useful energy efficiency	76.3%	
Energy efficiency class	E	
Direct heat output	4.0W	
Fuel effect	Control type	Model Number
Log	Slide	HPRLBESN


Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally


Dimensions: mm

FRONT VIEW

SIDE VIEW



TOP VIEW



FRONT

A	762
B	641
C	572
D	451

SIDE

A	259
B	16
C	8
D	534
E	577

TOP

A	574
---	-----



Black Nickel & Chrome fascia





Desire Signature

high efficiency

Conventional Flue Hearth Inset – Glass Fronted



The Desire MK2 now features revolutionary integrated pistol burner technology, which allows the flames to burst authentically out of each individual log. This delivers an unparalleled, lifelike log-burning effect framed perfectly by its wide viewing window. Combining exceptional performance with high efficiency and easy slide control, the Desire MK2 is one of the most desirable and realistic gas fire we've created.

This stunning gas fire is further complemented with a choice of uniquely designed one-piece Signature fascias, available in Black Nickel & Black, Black Nickel & Chrome, and Satin Silver & Chrome. Not suitable for use with other accessories.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected



Natural Gas


Useful energy efficiency	82.3%
Energy efficiency class	D
Direct heat output	4.1kW

Fuel effect	Control type	Model Number	Fascia
Logs	Slide	HLBL00SN843	Black Nickel & Black
		HLBL00SN837	Black Nickel & Chrome
		HLBL00SN841	Satin Silver & Chrome

Safety: Flame Supervision Device & Oxygen Depletion Sensor

Air vent required: Not normally

Dimensions: mm



A	497	Dimensions A & B refer to Desire Signature fascia.
B	598	
C	547	
D	253	
E	400	

Optional: Spacer frame available for this product.

2" Black. Part no. I200-1017681P



Desire Signature fascia
Black Nickel & Chrome



Desire Signature fascia
Satin Silver & Chrome



Desire Signature fascia Black Nickel & Black





Desire Parrilla

high efficiency

Conventional Flue Hearth Inset – Glass Fronted



The Desire MK2 now features revolutionary integrated pistol burner technology, which allows the flames to burst authentically out of each individual log. This delivers an unparalleled, lifelike log-burning effect framed perfectly by its wide viewing window. Combining exceptional performance with high efficiency and easy slide control, the Desire MK2 is one of the most desirable and realistic gas fire we've created.

This stunning gas fire is further complemented with a choice of uniquely designed one-piece Parrilla fascias, available in Satin Black, Satin Champagne, and Satin Silver. Not suitable for use with other accessories.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected



Natural Gas


Useful energy efficiency	82.3%
Energy efficiency class	D
Direct heat output	4.1kW

Satin Black	Control type	Model Number	Fascia
		HLBL00SN711	Satin Black
Logs	Slide	HLBL00SN702	Satin Champagne
		HLBL00SN758	Satin Silver

Safety: Flame Supervision Device & Oxygen Depletion Sensor

Air vent required: Not normally

Dimensions: mm



A	500	Dimensions A & B refer to Desire Parrilla fascia.
B	599	
C	547	
D	253	
E	400	

Optional: Spacer frame available for this product.

2" Black. Part no. I200-101768IP



Desire Parrilla fascia
Satin Black



Desire Parrilla fascia
Satin Silver



Desire Parrilla fascia Satin Champagne





Gosford HE

high efficiency

Conventional Flue Hearth Inset – Glass Fronted



If you're looking for a gas fire with efficiency in mind this has to be the product for you. The Gosford HE glass fronted fire features our most realistic full depth coal effect fuel bed and boasts an incredible energy efficiency of 86%. With a massive 4.0kW output the Gosford HE keeps your heat high and your fuel costs low.



Signature trim Black Nickel & Black Aviva fret Black Nickel

A range of fascias, trims and frets, are available to suit your décor. See pages 50-53.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected



Natural Gas

Useful energy efficiency	86%
Energy efficiency class	C
Direct heat output	3.9kW

Fuel effect	Control type	Model Number
Coal	Manual	HHEC00MN
	Slide	HHEC00SN
	Remote	HHEC00RN2



LPG


Useful energy efficiency	86.3%
Energy efficiency class	C
Direct heat output	4.0kW

Fuel effect	Control type	Model Number
Coal	Slide	HHEC00SP

Safety: Flame Supervision Device & Oxygen Depletion Sensor

Air vent required: Not normally

Dimensions: mm



A	598	Dimensions A & B refer to Standard trim only.
B	498	
C	550	
D	230	
E	400	



Embrace fascia Chrome & Black





Delamere HE

high efficiency

Conventional Flue Hearth Inset – Glass Fronted



Signature trim Black Nickel & Black Aviva fret Black Nickel

The Delamere HE glass fronted fire has an impressive energy efficiency of 84.3%, and comes in a choice of manual, slide, or remote control options. This mid depth gas fire is designed to fit into most chimney and flue types, including pre-cast flue when installed with a 3" rebated fire surround.

A range of fascias, trims and frets, are available to suit your décor. See pages 50-53.

Specifications


Description: Mid depth inset gas fire Type of Heat: Radiant & Convected

Natural Gas		Manual/Slide	Remote
Useful energy efficiency		84.3%	84.3%
Energy efficiency class		D	C
Direct heat output		3.4kW	3.4kW

Fuel effect	Control type	Model Number
Coal	Manual	HHKC00MN
	Slide	HHKC00SN
	Remote	HHKC00RN2

Safety: Flame Supervision Device
Air vent required: Not normally

Dimensions: mm



Contemporary fascia Chrome





Gosford Plus

high efficiency

Conventional Flue Hearth Inset – Open Fronted



Signature fascia
Black Nickel & Chrome

The Gosford Plus is our first full depth open-fronted high efficiency gas fire. You can now achieve the look of a real open coal fire at an incredible 66.7% energy efficiency. Suitable for installation into standard chimneys or pre-fabricated flues the Gosford Plus comes in a choice of manual, slide, or Remote control.

A range of fascias, trims and frets, are available to suit your décor. See pages 50-53.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected



Natural Gas

Useful energy efficiency	66.7%
Energy efficiency class	F
Direct heat output	4.1kW

Fuel effect	Control type	Model Number
Coal	Manual	HOPC00MN2
	Slide	HOPC00SN2
	Remote	HOPC00RN3



LPG


Useful energy efficiency	66.2%
Energy efficiency class	F
Direct heat output	4.2kW

Fuel effect	Control type	Model Number
Coal	Slide	HOPC00SP

Safety: Flame Supervision Device & Oxygen Depletion Sensor

Air vent required: Not normally

Dimensions: mm



A	600
B	498
C	548
D	223
E	400

Dimensions A & B refer to Standard trim only.



Signature trim Chrome & Black
Aviva fret Chrome





Gosford

high efficiency

Conventional Flue Hearth Inset – Open Fronted



Signature trim Black Nickel & Chrome
Blenheim fret Antique Chrome

The Gosford features one of the most realistic coal effects on the market and offers an amazing 3.7kW of heat. This open fronted fire is able to deliver a higher output through the use of a heat exchanger which draws in the cool room air and converts it to warm convected air. Manual or slide control models are available.

A range of fascias, trims and frets, are available to suit your décor. See pages 50-53.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected




Natural Gas

Useful energy efficiency	60%	
Energy efficiency class	F	
Direct heat output	3.7kW	
Fuel effect	Control type	Model Number
Coal	Manual	HICC00MN2
	Slide	HICC00SN2

Safety: Flame Supervision Device & Oxygen Depletion Sensor

Air vent required: Not normally

Dimensions: mm




A	598	Dimensions A & B refer to Standard trim only.
B	498	
C	550	
D	250	
E	400	

Optional: Spacer frame available for this product.

2" Black. Part no. B-1003890 (not suitable with cast iron trims or fascias)



Arcadia fascia Black & Gold





Delamere Plus

high efficiency

Conventional Flue Hearth Inset – Open Fronted



Dalliance fascia Chrome
Pebble fuel effect

The Delamere Plus boasts an amazing 68.3% energy efficiency and can be installed into almost any chimney or flue, including pre-cast when fitted with a 3" rebated fire surround. This open-fronted gas fire features a highly realistic coal fuel effect and is available as a manual or slide controlled fire. A pebble fuel effect is available as an optional extra.

A range of fascias, trims and frets, are available to suit your décor. See pages 50-53.

Specifications

Description: Mid depth inset gas fire Type of Heat: Radiant & Convected



Natural Gas

Useful energy efficiency	68.3%	
Energy efficiency class	F	
Direct heat output	4.2kW	
Fuel effect	Control type	Model Number
Coal	Manual	HKPC00MN2
	Slide	HKPC00SN2




LPG

Useful energy efficiency	67%	
Energy efficiency class	F	
Direct heat output	4.2kW	
Fuel effect	Control type	Model Number
Coal	Slide	HKPC00SP

Safety: Flame Supervision Device & Oxygen Depletion Sensor

Air vent required: Not normally

Dimensions: mm



A	600	Dimensions A & B refer to Standard trim only.
B	498	
C	548	
D	170	
E	365	



Standard trim Brass
Blenheim fret Brass
Coal fuel effect





Marbury Plus

high efficiency

Conventional Flue Hearth Inset – Open Fronted



The Marbury Plus is one of the most efficient open-fronted slimline gas fires available today and with a heat output of up to 4.0kW it is also one of the warmest products suitable for a pre-cast flue. The Marbury Plus is available in a choice of manual or slide control. This extremely versatile is available with optional pebble fuel bed.

A range of fascias, trims and frets, are available to suit your décor. See pages 50-53.



Standard trim Chrome
Grace fret Chrome
Coal fuel effect


Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

Natural Gas			
	Manual	Slide	
Useful energy efficiency	66.8%	66.8%	
Energy efficiency class	F	F	
Direct heat output	4.0kW	3.8kW	
Fuel effect	Control type	Model Number	
Coal/Pebble	Manual	HSPC00MN2	
	Slide	HSPC00SN	

Safety: Flame Supervision Device & Oxygen Depletion Sensor
Air vent required: Not normally

Dimensions: mm



Optional: Spacer frame available for this product.

2" Black. Part no. I146-1036278B (not suitable with cast iron trims or fascias)



Adonis fascia Coal fuel effect





Durlston

high efficiency

Balanced Flue Hearth Inset – Glass Fronted



The Durlston Balanced Flue is the perfect solution for those who like the look of a full depth fire but don't have a standard chimney or flue in their home. At 93.5% energy efficiency this glass fronted fire is the most efficient product in our range and offers an impressive 3.9kW heat output. It comes in a choice of manual or Easy Flame Control. This fire can be installed easily into most standard cavity walls when fitted with a 3" rebated fire surround.

A range of fascias, trims and frets, are available to suit your décor. See pages 50-53.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected



Natural Gas

Manual/EFC

Useful energy efficiency	93.5%
Energy efficiency class	B
Direct heat output	Coal 3.9kW Log 3.6kW

Fuel effect	Control type	Model Number
Coal	Manual	HBFC00MN2
	Easy Flame	HBFC00EN3
Logs	Manual	HBFL00MN



LPG

Manual


Useful energy efficiency	93.5%
Energy efficiency class	B
Direct heat output	4.0kW

Fuel effect	Control type	Model Number
Coal	Manual	HBFC00MP2

Safety: Flame Supervision Device

Air vent required: Not normally

Dimensions: mm



A	598
B	498
C	551
D	185
E	120
F	423
G	625 max* 285 min*
H	415
I	150

Optional: Spacer frame available for this product. 2" Black. Part no. I126-1036286B (not suitable with cast iron trims or fascias) EFC product comes with 20mm spacer as standard.

Dimensions A & B refer to Standard trim only. *These dimensions differ on EFC models. Please refer to the installation manual for more details. An optional flue extension is available for Natural Gas Only products to increase the maximum flue length to 1010mm on manual control models and 973mm on EFC models.



Log fuel effect

Standard Trim Brass
Grace Fret Chrome
Coal fuel effect





Marbury

standardfires

Conventional Flue Hearth Inset – Open Fronted



The slimline Marbury gas fire features an attractive coal fuel bed and dancing flame effect. It is suitable for installation in to almost any home since it will fit a standard brick chimney, pre-fabricated flue or pre-cast (BS EN 1858). This fire can be purchased as a manual control fire or as a convenient slide control. A pebble fuel effect is available as an optional extra.



*Contemporary fascia Satin Silver Pebble fuel effect

A range of fascias, trims and frets, are available to suit your décor. See pages 50-53.

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant




Natural Gas

Useful energy efficiency	53.1%	
Energy efficiency class	F	
Direct heat output	3.1kW	
Fuel effect	Control type	Model Number
Coal/Pebble	Manual	HNVC00MN
	Slide	HNVC00SN

Safety: Flame Supervision Device & Oxygen Depletion Sensor
Air vent required: Not normally

Dimensions: mm



A	598	Dimensions A & B refer to Standard trim only.
B	498	
C	550	
D	100	
E	325	

*Please note that the Contemporary fascia shown on this page is not suitable for slide control versions.

Optional: Spacer frame available for this product.

2" Black. Part no. B-1003890 (not suitable with cast iron trims or fascias)



Signature trim Satin & Chrome
Daisy fret Satin & Chrome
Coal fuel effect





Thetford

standardfires

Conventional Flue Hearth Inset – Open Fronted



The Thetford features one of the deepest looking fuel beds on a slimline gas fire. Designed for easy installation in to any chimney or flue, including pre-cast (BS EN 1858), this stylish fire is both versatile and affordable. A pebble fuel effect is available as an optional extra. This model comes with a choice of Standard trim which can be teamed with any Kohlangaz fret, or upgrade to one of our Contemporary fascias pages 50-53.



Standard trim Chrome
Grace fret Chrome
Pebble fuel effect

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant



Natural Gas


Direct heat output	2.7kW	
Fuel effect	Control type	Model Number
Coal/Pebble	Manual	HSRC00MN

Safety: Flame Supervision Device & Oxygen Depletion Sensor

Air vent required: Not normally

This product is not suitable for primary heating purposes

Dimensions: mm



A	598
B	498
C	550
D	120
E	302
F	329
G	70

Dimensions A & B refer to Standard trim only.



Signature trim Brass & Black
Blenheim fret Antique Brass
Coal fuel effect





Delamere

standardfires

Conventional Flue Hearth Inset – Open Fronted



The Delamere features an outstanding coal or optional pebble fuel effect and a beautiful flame picture. This open fronted fire provides a maximum heat output of 2.7kW and can be installed into most chimneys or flues, including pre-cast (BS EN 1858) when fitted with a 3" rebated fire surround.

A range of fascias, trims and frets, are available to suit your décor. See pages 50-53.



Ultimo trim Chrome & Black
Grace fret Satin Silver & Chrome
Pebble fuel effect

Specifications

Description: Mid depth inset gas fire Type of Heat: Radiant



Natural Gas


Direct heat output	2.7kW	
Fuel effect	Control type	Model Number
Coal/Pebble	Manual	HRDC00MN2
	Slide	HRDC00SN2

Safety: Flame Supervision Device & Oxygen Depletion Sensor

Air vent required: Not normally

This product is not suitable for primary heating purposes


Dimensions: mm



A	598	Dimensions A & B refer to Standard trim only.
B	498	
C	550	
D	170	
E	327	
F	365	
G	110	



Ultimo trim Gold & Black
Daisy fret Antique Brass
Coal fuel effect





Volantra XT fascias

The Volantra XT is a steel fabricated fascia, available in a choice of metallic or Black Painted finish.



Black Nickel & Chrome



Chrome



Matte Black

Accessories

Volantra fascias

The Volantra is a steel fabricated fascia, available in a choice of metallic or Black Painted finish.



Black Nickel & Chrome



Brass



Chrome



Matte Black



Volantra

Accessories

Contemporary fascias

The Contemporary is a steel fabricated fascia. Not suitable for Gosford Plus or Durlston Balanced Flue models. Not suitable for slide control or Easy Flame Control system.



Chrome



Satin Silver



Brass

Dalliance fascias

The Dalliance is a fabricated steel fascia. Available in a choice of metallic or Black Painted finish. Suitable for all models and control types.



Satin Silver



Black Painted



Chrome

Signature fascias

The Signature is a steel fabricated fascia. Brass & Black finish is not suitable for Durlston BF model.



Chrome & Black



Satin Silver & Chrome



Brass & Black



Black Nickel & Chrome



Black Nickel & Black

Embrace fascias

Embrace and Arcadia cast iron fascias in a combination of Black painted with optional metallic plated finish. Suitable for all Kohlangaz models apart from those with an Easy Flame Control system.



Chrome & Black



Gold & Black



Black Nickel & Black

Arcadia fascias

Arcadia cast iron fascias in a combination of Black painted with optional metallic plated finish. Suitable for all Kohlangaz models apart from those with an Easy Flame Control system.



Black & Gold



Black & Chrome

Adonis fascia

Adonis is a curved cast iron fascias in a Matte Black painted finish. Suitable for all Kohlangaz models, apart from those with an Easy Flame Control system. Not suitable for Durlston BF model.



Black

Accessories

Standard trims

High quality steel fabricated trims in a range of metallic and paint finishes.



Brass Black Satin Silver Chrome

Signature trims

High quality steel fabricated trims in a range of metallic and paint finishes.

Brass & Black finish is not suitable for Durlston BF model.



Chrome & Black Satin Silver & Chrome Brass & Black Black Nickel & Chrome Black Nickel & Black

Ultimo trims

A superior cast iron trim, black painted with a choice of metallic colour plating. Suitable for all Kohlangaz hearth inset fires apart from those with an Easy Flame Control system.



Gold & Black Chrome & Black

Spacer frames

A black finished 2 inch spacer is available for the following gas fire models. **Please note a spacer is not suitable for products fitted with a cast iron trim or fascia.**

DELAMERE HE	B-1003890
MARBURY	
GOSFORD	
MARBURY PLUS	1146-1036278B
DESIRE	1200-1017681P
DURLSTON BF	1126-1036286B
(not suitable for EFC)	



Blenheim frets

Blenheim and Daisy are traditional styled frets made from Solid Brass or Cast Iron.



Brass Antique Brass



Antique Chrome Chrome

Daisy frets



Antique Brass Black Nickel Satin Silver & Chrome

Aviva frets

Aviva and Grace are Contemporary styled frets made from Solid Brass or Cast Iron.



Chrome Black Nickel

Grace frets




Brass Chrome Satin Silver & Chrome

Online inspiration & information

Tap into a wealth of knowledge and discover everything you need to know about purchasing, fitting & servicing your Kohlangaz fire.

- > Use our intelligent search tools to find your perfect gas fire
- > Find your nearest approved Kohlangaz stockist
- > Download installation and user manuals
- > Register your warranty
- > Watch videos of our stunning gas fires



Visit us

www.kohlangazfires.co.uk

Go direct to the Kohlangaz website on your smart phone or tablet device, just scan in this QR code.

IMPORTANT NOTICE

WARNING BFM Europe Limited is a Gas Safe Registered company. We recommend that all of our fires are installed by Gas Safe Register engineers in accordance with our instructions.

DISCLAIMER Our policy is one of constant development and improvement. We therefore reserve the right to revise designs and specifications of our products without formal notice, patents pending. We always recommend our products be viewed in an approved showroom before purchase. Whilst we have taken every care in the preparation of this brochure it is not intended to replace the installation manual which provides more detailed information. Photography is for illustration purposes only and although

every effort has been made to ensure accurate reproduction of typical installations and flame pictures they may vary according to fire model and flue types. We accept no liability for any loss or damage arising directly or indirectly from the use of this brochure. We recommend that all our fires are used in conjunction with central heating and not as a primary source of heat. In the interests of personal safety a suitable fireguard is recommended when children, the elderly and the infirm are present.

This brochure is copyrighted and must not be reproduced in whole or in any part without prior written permission.

Kohlangaz



BFM Europe Ltd, Gordon Banks Drive, Trentham Lakes, Stoke-on-Trent ST4 4TJ
Tel: 01782 339000 www.kohlangazfires.co.uk Email: sales@bfm-europe.com