

# Kohlangaz

GAS FIRES  
2025



MADE IN BRITAIN





## Welcome

At Kohlangaz we know how important it is to create a stylish and relaxing living environment. That's why we've developed this collection of versatile and affordable gas fires to complement all tastes and lifestyles.

I believe our success stems from a combination of innovative design, investment in technology and the highest quality manufacturing standards. As a result all Kohlangaz fires carry a 5 year warranty to reflect my belief in their quality and durability.

Our experienced Kohlangaz retailers are hand-picked to give you the very best advice and service.

This brochure has been designed to make the purchase of your new Kohlangaz fire as simple as possible. I hope you will find it both informative and inspiring.



Today BFM Europe is the fastest growing domestic fire producer in the country with an unequalled reputation for quality and services.

Every Kohlangaz branded gas fire is developed and manufactured in Britain at our purpose built, state-of-the-art facility in Stoke-on-Trent.



Luxury wall insets



Traditional trim and frets



Designer fascias

## Contents

An introduction to efficiencies .....	4
Before you begin .....	5

## high efficiency

### Conventional Flue

#### Suites – Glass Fronted

Volantra XT .....	6-7
Boticelli Volantra .....	8-9
Angelo Volantra .....	10-11
Pablo Volantra .....	12-13

#### Wall Inset – Glass Fronted

Ashbourne .....	14-15
Brandon .....	16-17
Volantra XT .....	18-19
Volantra .....	20-21

#### Hearth Inset – Glass Fronted

Desire Signature .....	22-23
Desire Parrilla .....	24-25
Gosford HE .....	26-27
Delamere HE .....	28-29

#### Hearth Inset – Open Fronted

Gosford Plus .....	30-31
Gosford .....	32-33
Delamere Plus .....	34-35
Marbury Plus .....	36-37

### Balanced Flue

#### Hearth Inset – Glass Fronted

Durlston .....	38-39
----------------	-------

## standard fires

### Conventional Flue

#### Hearth Inset – Open Fronted

Marbury .....	40-41
Thetford .....	42-43
Delamere .....	44-45

## accessories

### Unleash Your Fire's Style

Fascias, Trims, Frets .....	46-51
-----------------------------	-------



All Kohlangaz gas fires carry the peace of mind of a 5 year Warranty subject to terms and conditions.

## bsi. Product Testing & Certification

Kohlangaz fires are independently tested, approved and verified by the British Standards Institution (BSI) to meet the latest standards for performance, safety and efficiency.

BSI is an independent organization, free from government, industry, or shareholder influence. This objectivity enhances the authority of their assessments compared to those from organizations with vested interests.

With world-renowned expertise in gas and electrical product testing and certification, BSI boasts highly experienced staff and internationally recognized capabilities. Their extensive testing facilities and in-depth knowledge ensure our products undergo rigorous and impartial testing.



Compliant with the Eco design directive Commission Regulation (EU) 2015/1188.



Tested & Approved  
Conforms to GB legislation



high efficiency

Get up to 93.5% energy efficiency from your gas fire...

Kohlangaz fires have set new industry standards with the introduction of the high efficiency range: exceptional heat output combined with lower running costs compared to standard gas fires or electric fires. Our team has invested in developing innovative technology to create energy-efficient gas fires, ultimately helping consumers reduce their energy costs and save money on their bills.

Conventional Flue Fires

Glass Fronted Fires



Our high-efficiency conventional flue fires deliver up to 86.3% energy efficiency. A front-facing glass panel maximizes radiant heat output from the fuel bed, directing it into the room while minimizing chimney losses. Additionally, convected heat is generated as cool air is drawn into the fire's base through the heat exchanger and emitted as warm air above the canopy.

Open Fronted Fires



Our high-efficiency open-fronted fires offer up to 68.3% energy efficiency while replicating the look and feel of a traditional open fire. These fires provide both radiant heat emitted from the coal-effect fuel bed and convected heat generated by cool air drawn into the base, passing through a heat exchanger, and emitted as warm air above the canopy.

Balanced Flue Fires

Glass Fronted Fires



Our high-efficiency balanced flue fires offer up to 93.5% energy efficiency, perfect for homes without existing chimneys or flues. These fires feature a self-contained flue terminal that vents directly through an outside wall. As completely room-sealed appliances, they draw and vent external air for combustion through a pair of co-axial tubes, ensuring safe and efficient operation.



standard fires

Conventional Flue Fires

Open Fronted Fires

Standard fires can achieve a direct heat output of up to 3.1kW. It is recommended that these products are not suitable for use as a primary heat source, but are ideal if you are looking for a great fireplace feature for occasional use.

Before you begin

Type of Chimney or Flue

The type of fire you can install depends on your chimney or flue. If unsure, consult the simple guide below or compare your roof type. Note: Full-depth fires typically require a traditional chimney or a rebate on the fire surround, while slimline fires are compatible with most chimneys or flues



Brick Chimney

Apart from products designed for "no chimney" applications, all Kohlangaz products will fit brick chimneys. They are easily recognisable by a chimney stack with accompanying terracotta pot or gas terminal.



Pre-Fabricated Flue

Pre-fabricated flues are easily identifiable by a metal flue and terminal on the roof and a metal flue box behind the fire.



Pre-Cast Flue

Pre-cast flues can be identified by a ridge vent or metal flue tube and terminal on the roof. Constructed from concrete or clay blocks they form a rectangular section flue. All Kohlangaz fires featuring this icon are only suitable for pre-cast flues conforming to BS EN 1858.

Can't see a Chimney or Flue?

If you can't see a chimney or flue like the ones described above, then you will require a Balanced Flue fire.



Balanced Flue

Balanced Flue fires use a horizontal pipe to vent directly outside. An electricity supply is not required for Balanced Flue products.

Controls



Manual Control

A simple and discreet control system located behind the fire's fascia or fret on inset fires.



Slide Control

Convenient control that eliminates the necessity of bending down.



Easy Flame Control (EFC)

Discreet, easy access buttons are used to ignite the fire and adjust heat and flame height.



Remote Control

The remote control handset is used to light the fire as well as to adjust the flame height and heat output.



Remote Control with Thermostat

The remote control handset can be used to light the fire as well as to adjust the flame height and heat output. In addition, the handset contains the extra benefit of a thermostatic control to regulate room temperature.

Gas Supply

Every fire in this brochure is available in natural gas, and a selection are available in LPG.



Natural Gas

If you have a gas meter then you will have natural gas.



LPG

LPG is the most popular alternative to natural gas.

Fuel Bed Effects



Coal



Pebble



Log

Back Panels



Plain Black




Glossy Black Enamel



# Volantra XT

high efficiency  
Conventional Flue  
Suite– Glass Fronted




The perfect blend of modern design and classic elegance. This Limestone surround pairs beautifully with the Volantra XT gas fire. Its sleek lines and gentle curves create a striking focal point that complements any interior style.

The gas fire features our latest Integrated Flame Burner Technology, delivers a captivating display of natural flames with powerful heat output. This stunning high performance suite offers both luxury and functionality, creating a cozy and inviting atmosphere.

### Specifications



Description: Full depth inset gas fire    Type of Heat: Radiant & Convected



Useful energy efficiency		79.1%
Energy efficiency class		E
Direct heat output		4.8kW
Fuel effect	Control type	Model Number
Log	Slide	HDCS971

Safety: Flame Supervision Device & Airwatch System  
Air vent required: Not normally

### Dimensions: mm







# Boticelli Volantra

high efficiency  
Conventional Flue  
Suite – Glass Fronted



Watch the video

The Boticelli Volantra Suite is a masterpiece of design, seamlessly blending traditional elegance with contemporary flair. Crafted from the finest Portuguese Limestone, its graceful curves and clean lines create a timeless focal point that complements both classic and modern interiors.

At its heart, the high-performance Volantra gas fire boasts our latest Integrated Flame Burner Technology for seamless natural flaming logs. The intuitive slide control ensures optimal comfort and provides effortless adjustment to your desired setting.

### Specifications

Description: Full depth inset gas fire    Type of Heat: Radiant & Convected





Natural Gas

Useful energy efficiency		76.3%
Energy efficiency class		D
Direct heat output		4.0kW
Fuel effect	Control type	Model Number
Log	Slide	HPRS629

Safety: Flame Supervision Device & Airwatch System

Air vent required: Not normally

### Dimensions: mm








# Angelo Volantra


high efficiency  
Conventional Flue  
Suite– Glass Fronted



Elevate your living space with the exquisite Angelo Volantra Suite. Its stunning blend of straight lines and soft curves, crafted from the finest Portuguese Limestone, creates a captivating focal point. The high-performance Volantra gas fire boasts our latest Integrated Flame Burner Technology for seamless, natural flaming logs, offering customizable heat settings, and ensuring optimal comfort. Enjoy effortless control and convenience with its discreet slide control operation.

### Specifications



Description: Full depth inset gas fire    Type of Heat: Radiant & Convected



Useful energy efficiency		76.3%
Energy efficiency class		D
Direct heat output		4.0kW
Fuel effect	Control type	Model Number
Log	Slide	HPRS347

Safety: Flame Supervision Device & Airwatch System  
Air vent required: Not normally


### Dimensions: mm





# Pablo Volantra


high efficiency  
Conventional Flue  
Suite– Glass Fronted



Experience contemporary elegance with the Pablo Volantra Suite. Its minimalist design, crafted from premium Portuguese Limestone, creates a captivating centerpiece that transforms your living space. The high-performance Volantra gas fire, featuring our latest Integrated Flame Burner Technology, offers variable heat settings and a mesmerizing display of natural flames for unparalleled comfort and ambiance.

### Specifications



Description: Full depth inset gas fire    Type of Heat: Radiant & Convected



Useful energy efficiency		76.3%
Energy efficiency class		D
Direct heat output		4.0kW
Fuel effect	Control type	Model Number
Log	Slide	HPRS968

Safety: Flame Supervision Device & Airwatch System  
Air vent required: Not normally

### Dimensions: mm








# Ashbourne

high efficiency  
Conventional Flue  
Wall Inset – Glass Fronted



The Ashbourne is a statement of pure luxury. This designer inset gas fire will not only deeply satisfy your heating requirement, but also aesthetically impress you with the most realistic and beautifully natural log fuel bed appearance. Between the raised logs, tall ascending bright flames flow and provide wonderful contrast against a reflective glossy black enamel interior.

### Specifications

Description: Full depth inset gas fire    Type of Heat: Radiant & Convected




Natural Gas

Useful energy efficiency		73.9%
Energy efficiency class		E
Direct heat output		3.6kW
Fuel effect	Control type	Model Number
Log	Remote	HPHLCNRN2

Safety: Flame Supervision Device & Airwatch System


Air vent required: Not normally

### Dimensions: mm



A	621
B	921
C	516
D	306
E	728

Optional: Spacer frames available for this product.  
1" Black. Part no. 1125-135100P  
2" Black. Part no. 1125-135110P








# Brandon


high efficiency  
Conventional Flue  
Wall Inset – Glass Fronted



Designed with petite proportions the Brandon inset gas fire is perfect for modern living areas where space can be at a premium. Beautiful dancing flames flow around highly realistic logs and form an attractive fuel bed with stunning contrast set against a glossy black enamel interior. The Brandon has been designed to make an impression. It will complement your home and provide long lasting efficient heat.

### Specifications


Description: Full depth inset gas fire    Type of Heat: Radiant & Convected



Useful energy efficiency		81.4%
Energy efficiency class		D
Direct heat output		3.2kW
Fuel effect	Control type	Model Number
Log	Remote	HHCLONRN

Safety: Flame Supervision Device & Airwatch System  
Air vent required: Not normally

### Dimensions: mm




A	549
B	810
C	460
D	315
E	631

Optional: Spacer frames available for this product.  
1" Black. Part no. 1125-135120P  
2" Black. Part no. 1125-135130P




Black Nickel & Chrome fascia





# Volantra XT

high efficiency  
Conventional Flue  
Wall Inset – Glass Fronted




Unleash the magic of fire with the captivating Volantra XT gas fire. Its enchanting flames dance along realistic logs and create a stunning focal point. Featuring our latest Integrated Flame Burner Technology, the Volantra XT delivers a seamless, natural flame effect. The innovative slide control system allows for effortless adjustment of flame intensity and heat output, ensuring your desired level of comfort. Experience the perfect blend of style and warmth.

A range of fascia options available on Page 46-47.

### Specifications


Description: Full depth inset gas fire    Type of Heat: Radiant & Convected




Useful energy efficiency		79.1%
Energy efficiency class		E
Direct heat output		4.8W
Fuel effect	Control type	Model Number
Log	Remote	HDCLBESN

Safety: Flame Supervision Device & Airwatch System  
Air vent required: Not normally

### Dimensions: mm



Black Nickel & Chrome fascia








# Volantra

high efficiency  
Conventional Flue  
Wall Inset – Glass Fronted




Watch the video

The high-performance Volantra gas fire, featuring our latest Integrated Flame Burner Technology, offers sensational displays of natural flames with unparalleled comfort and ambiance. The intuitive slide control system ensures variable adjustment to your desired heating requirements.

A range of fascia options available on Page 48-49.

### Specifications


Description: Full depth inset gas fire    Type of Heat: Radiant & Convected




Useful energy efficiency		76.3%
Energy efficiency class		E
Direct heat output		4.0W
Fuel effect	Control type	Model Number
Log	Remote	HDCLBERN

Safety: Flame Supervision Device & Airwatch System  
Air vent required: Not normally

### Dimensions: mm



Black Nickel & Chrome fascia








# Desire Signature

high efficiency  
Conventional Flue Hearth Inset – Glass Fronted




Desire is a market leading gas fire with the authentic look and feel of a natural log fire. Combining high efficiency with exceptional performance, this easy to operate slide controlled fire has a wide-angle large viewing window that perfectly frames a lively log burning effect.

This stunning gas fire is further complemented with a choice of uniquely designed one-piece Signature fascias, available in Black Nickel & Black, Black Nickel & Chrome, and Satin Silver & Chrome. Not suitable for use with other accessories.

Specifications


Description: Full depth inset gas fire    Type of Heat: Radiant & Convected



Useful energy efficiency		82.3%
Energy efficiency class		D
Direct heat output		4.0kW
Fuel effect	Control type	Model Number
Logs	Slide	HLBL00SN

Safety: Flame Supervision Device & Oxygen Depletion Sensor  
Air vent required: Not normally

Dimensions: mm



Optional: Spacer frame available for this product.  
2" Black. Part no. I200-I017681P



Desire Signature fascia  
Black Nickel & Chrome



Desire Signature fascia  
Satin Silver & Chrome



Desire Signature fascia Black Nickel & Black








# Desire Parrilla

**high**efficiency  
**Conventional Flue** **Hearth Inset – Glass Fronted**



Desire is a market leading gas fire with the authentic look and feel of a natural log fire. Combining high efficiency with exceptional performance, this easy to operate slide controlled fire has a wide-angle large viewing window that perfectly frames a lively log burning effect.

This stunning gas fire is further complemented with a choice of uniquely designed one-piece Parrilla fascias, available in Satin Black, Satin Champagne, and Satin Silver.  
Not suitable for use with other accessories.

**Specifications**

Description: Full depth inset gas fire    Type of Heat: Radiant & Convected




Natural Gas

Useful energy efficiency		82.3%
Energy efficiency class		D
Direct heat output		4.0kW
Fuel effect	Control type	Model Number
Logs	Slide	HLBL00SN

Safety: Flame Supervision Device & Oxygen Depletion Sensor  
Air vent required: Not normally

**Dimensions: mm**



Optional: Spacer frame available for this product.  
2" Black. Part no. I200-1017681P



Desire Parrilla fascia  
Satin Black



Desire Parrilla fascia  
Satin Silver



Desire Parrilla fascia Satin Champagne



Brick  
Chimney



Pre-  
Fabricated



Natural  
Gas



Slide



Logs



Plain  
Black




Ecodesign  
Compliant



# Gosford HE

high efficiency  
Conventional Flue Hearth Inset – Glass Fronted



Watch the video

If you're looking for a gas fire with efficiency in mind this has to be the product for you. The Gosford HE glass fronted fire features our most realistic full depth coal effect fuel bed and boasts an incredible energy efficiency of 86%. With a massive 4.0kW output the Gosford HE keeps your heat high and your fuel costs low.

A range of fascias, trims and frets, are available to suit your décor. See pages 48-51.



Signature trim Black Nickel & Black  
Aviva fret Black Nickel

### Specifications

Description: Full depth inset gas fire    Type of Heat: Radiant & Convected



#### Natural Gas

Useful energy efficiency	86%
Energy efficiency class	C
Direct heat output	3.9kW

Fuel effect	Control type	Model Number
Coal	Manual	HHEC00MN
	Slide	HHEC00SN
	Remote	HHEC00RN2




#### LPG

Useful energy efficiency	86.3%
Energy efficiency class	C
Direct heat output	4.0kW

Fuel effect	Control type	Model Number
Coal	Slide	HHEC00SP

Safety: Flame Supervision Device & Oxygen Depletion Sensor  
Air vent required: Not normally

### Dimensions: mm



A	598
B	498
C	550
D	230
E	400

Dimensions A & B refer to Standard trim only.


Embrace fascia Chrome & Black



Brick Chimney




Pre-Fabricated



Natural Gas



LPG



Manual



Slide



Thermostatic Remote



Coal



Plain Black




Ecodesign Compliant





# Delamere HE

high efficiency  
Conventional Flue Hearth Inset – Glass Fronted




Signature trim Black Nickel & Black Aviva fret Black Nickel

The Delamere HE glass fronted fire has an impressive energy efficiency of 84.3%, and comes in a choice of manual, slide, or remote control options. This mid depth gas fire is designed to fit into most chimney and flue types, including pre-cast flue when installed with a 3" rebated fire surround.

A range of fascias, trims and frets, are available to suit your décor. See pages 48-51.


Specifications

Description: Mid depth inset gas fire    Type of Heat: Radiant & Convected

	Natural Gas		Manual/Slide	Remote
Useful energy efficiency		84.3%	84.3%	
Energy efficiency class		D	C	
Direct heat output		3.4kW	3.4kW	
Fuel effect		Control type	Model Number	
Coal	Manual		HHKC00MN	
	Slide		HHKC00SN	
	Remote		HHKC00RN2	

Safety: Flame Supervision Device  
Air vent required: Not normally

Dimensions: mm



Brick Chimney

Pre-Fabricated

Pre-Cast

Natural Gas

Manual

Slide

Thermostatic Remote

Coal


Pebble

Plain Black



# Gosford Plus

**high**efficiency  
Conventional Flue Hearth Inset – Open Fronted



Signature fascia  
Black Nickel & Chrome

The Gosford Plus is our first full depth open-fronted high efficiency gas fire. You can now achieve the look of a real open coal fire at an incredible 66.7% energy efficiency. Suitable for installation into standard chimneys or pre-fabricated flues the Gosford Plus comes in a choice of manual, slide, or Remote control.

A range of fascias, trims and frets, are available to suit your décor. See pages 48-51.

**Specifications**

Description: Full depth inset gas fire    Type of Heat: Radiant & Convected



Natural Gas

Useful energy efficiency	66.7%
Energy efficiency class	F
Direct heat output	4.1kW

Fuel effect	Control type	Model Number
Coal	Manual	HOPC00MN2
	Slide	HOPC00SN2
	Remote	HOPC00RN3



LPG


Useful energy efficiency	66.2%
Energy efficiency class	F
Direct heat output	4.2kW

Fuel effect	Control type	Model Number
Coal	Slide	HOPC00SP

Safety: Flame Supervision Device & Oxygen Depletion Sensor

Air vent required: Not normally

**Dimensions: mm**





A	600
B	498
C	548
D	223
E	400

Dimensions  
A & B refer  
to Standard  
trim only.



Signature trim Chrome & Black  
Aviva fret Chrome








# Gosford

high efficiency

Conventional Flue Hearth Inset – Open Fronted




Signature trim Black Nickel & Chrome  
Blenheim fret Antique Chrome

The Gosford features one of the most realistic coal effects on the market and offers an amazing 3.7kW of heat. This open fronted fire is able to deliver a higher output through the use of a heat exchanger which draws in the cool room air and converts it to warm convected air. Manual or slide control models are available.

A range of fascias, trims and frets, are available to suit your décor. See pages 48-51.

Specifications


Description: Full depth inset gas fire    Type of Heat: Radiant & Convected



Useful energy efficiency		60%
Energy efficiency class		F
Direct heat output		3.7kW
Fuel effect	Control type	Model Number
Coal	Manual	HICC00MN2
	Slide	HICC00SN2

Safety: Flame Supervision Device & Oxygen Depletion Sensor  
Air vent required: Not normally

Dimensions: mm



Optional: Spacer frame available for this product.  
2" Black. Part no. B-1003890 (not suitable with cast iron trims or fascias)




Arcadia fascia Black & Gold





# Delamere Plus

high efficiency  
Conventional Flue Hearth Inset – Open Fronted



Watch the video

The Delamere Plus boasts an amazing 68.3% energy efficiency and can be installed into almost any chimney or flue, including pre-cast when fitted with a 3" rebated fire surround. This open-fronted gas fire features a highly realistic coal fuel effect and is available as a manual or slide controlled fire. A pebble fuel effect is available as an optional extra.

A range of fascias, trims and frets, are available to suit your décor. See pages 48-51.



Dalliance fascia Chrome  
Pebble fuel effect

### Specifications

Description: Mid depth inset gas fire    Type of Heat: Radiant & Convected



Natural Gas

Useful energy efficiency		68.3%
Energy efficiency class		F
Direct heat output		4.2kW
Fuel effect	Control type	Model Number
Coal	Manual	HKPC00MN2
	Slide	HKPC00SN2




LPG

Useful energy efficiency		67%
Energy efficiency class		F
Direct heat output		4.2kW
Fuel effect	Control type	Model Number
Coal	Slide	HKPC00SP

Safety: Flame Supervision Device & Oxygen Depletion Sensor

Air vent required: Not normally


Dimensions: mm



A	600	Dimensions A & B refer to Standard trim only.
B	498	
C	548	
D	170	
E	365	



Standard trim Brass  
Blenheim fret Brass  
Coal fuel effect




Ecodesign  
Compliant





# Marbury Plus

high efficiency  
Conventional Flue Hearth Inset – Open Fronted




Standard trim Chrome  
Grace fret Chrome  
Coal fuel effect

The Marbury Plus is one of the most efficient open-fronted slimline gas fires available today and with a heat output of up to 4.0kW it is also one of the warmest products suitable for a pre-cast flue. The Marbury Plus is available in a choice of manual or slide control. This extremely versatile is available with optional pebble fuel bed.

A range of fascias, trims and frets, are available to suit your décor. See pages 48-51.


### Specifications

Description: Slimline inset gas fire    Type of Heat: Radiant & Convected

 Natural Gas	Manual	Slide	
	Useful energy efficiency	66.8%	66.8%
	Energy efficiency class	F	F
	Direct heat output	4.0kW	3.8kW
Fuel effect	Control type	Model Number	
Coal/Pebble	Manual	HSPC00MN2	
	Slide	HSPC00SN	

Safety: Flame Supervision Device & Oxygen Depletion Sensor  
Air vent required: Not normally

### Dimensions: mm



Optional: Spacer frame available for this product.  
2" Black. Part no. I146-1036278B (not suitable with cast iron trims or fascias)



Signature fascia Black Nickel & Black  
Pebble fuel effect






Durlston

high

efficiency

Balanced Flue

Hearth Inset – Glass Fronted



The Durlston Balanced Flue is the perfect solution for those who like the look of a full depth fire but don't have a standard chimney or flue in their home. At 93.5% energy efficiency this glass fronted fire is the most efficient product in our range and offers an impressive 3.9kW heat output. It comes in a choice of manual or Easy Flame Control. This fire can be installed easily into most standard cavity walls when fitted with a 3" rebated fire surround.

A range of fascias, trims and frets, are available to suit your décor. See pages 48-51.

Specifications


Description: Full depth inset gas fire    Type of Heat: Radiant & Convected

Natural Gas		Manual/EFC
Useful energy efficiency		93.5%
Energy efficiency class		B
Direct heat output		Coal 3.9kW   Log 3.6kW
Fuel effect	Control type	Model Number
Coal	Manual	HBFC00MN2
	Easy Flame	HBFC00EN3
Logs	Manual	HBFL00MN

LPG		Manual
Useful energy efficiency		93.5%
Energy efficiency class		B
Direct heat output		4.0kW
Fuel effect	Control type	Model Number
Coal	Manual	HBFC00MP2

Safety: Flame Supervision Device  
Air vent required: Not normally

Dimensions: mm




Optional: Spacer frame available for this product.  
2" Black, Part no. 1126-1036286B (not suitable with cast iron trims or fascias)  
EFC product comes with 20mm spacer as standard.

Dimensions A & B refer to Standard trim only. \*These dimensions differ on EFC models. Please refer to the installation manual for more details. An optional flue extension is available for Natural Gas Only products to increase the maximum flue length to 1010mm on manual control models and 973mm on EFC models.



Standard Trim Brass  
Grace Fret Chrome  
Coal fuel effect








Marbury

standardfires

Conventional FlueHearth Inset – Open Fronted



The slimline Marbury gas fire features an attractive coal fuel bed and dancing flame effect. It is suitable for installation in to almost any home since it will fit a standard brick chimney, pre-fabricated flue or pre-cast (BS EN 1858). This fire can be purchased as a manual control fire or as a convenient slide control. A pebble fuel effect is available as an optional extra.


A range of fascias, trims and frets, are available to suit your décor. See pages 48-51.



\*Contemporary fascia Satin Silver  
Pebble fuel effect

Specifications


Description: Slimline inset gas fire    Type of Heat: Radiant



Useful energy efficiency		53.1%
Energy efficiency class		F
Direct heat output		3.1kW
Fuel effect	Control type	Model Number
Coal/Pebble	Manual	HNVC00MN
	Slide	HNVC00SN

Safety: Flame Supervision Device & Oxygen Depletion Sensor  
Air vent required: Not normally

Dimensions: mm




\*Please note that the Contemporary fascia shown on this page is not suitable for slide control versions.

Optional: Spacer frame available for this product.

2" Black. Part no. B-1003890 (not suitable with cast iron trims or fascias)



Signature trim Satin & Chrome  
Daisy fret Satin & Chrome  
Coal fuel effect






Thetford

standardfires

Conventional FlueHearth Inset – Open Fronted




The Thetford features one of the deepest looking fuel beds on a slimline gas fire. Designed for easy installation in to any chimney or flue, including pre-cast (BS EN 1858), this stylish fire is both versatile and affordable. A pebble fuel effect is available as an optional extra. This model comes with a choice of Standard trim which can be teamed with any Kohlangaz fret, or upgrade to one of our Contemporary fascias pages 48-51.



Standard trim Chrome  
Grace fret Chrome  
Pebble fuel effect

Specifications


Description: Slimline inset gas fire    Type of Heat: Radiant




Direct heat output		2.7kW
Fuel effect	Control type	Model Number
Coal/Pebble	Manual	HSRC00MN

Safety: Flame Supervision Device & Oxygen Depletion Sensor  
Air vent required: Not normally  
This product is not suitable for primary heating purposes

Dimensions: mm



Signature trim Brass & Black  
Blenheim fret Antique Brass  
Coal fuel effect








Delamere

standardfires

Conventional FlueHearth Inset – Open Fronted



The Delamere features an outstanding coal or optional pebble fuel effect and a beautiful flame picture. This open fronted fire provides a maximum heat output of 2.7kW and can be installed into most chimneys or flues, including pre-cast (BS EN 1858) when fitted with a 3” rebated fire surround.


A range of fascias, trims and frets, are available to suit your décor. See pages 48-51.



Ultimo trim Chrome & Black  
Grace fret Satin Silver & Chrome  
Pebble fuel effect

Specifications


Description: Mid depth inset gas fire    Type of Heat: Radiant




Direct heat output		2.7kW
Fuel effect	Control type	Model Number
Coal/Pebble	Manual	HRDC00MN2
	Slide	HRDC00SN2

Safety: Flame Supervision Device & Oxygen Depletion Sensor  
Air vent required: Not normally  
This product is not suitable for primary heating purposes

Dimensions: mm



Ultimo trim Gold & Black  
Daisy fret Antique Brass  
Coal fuel effect







Volantra XT fascias

The Volantra XT is a one-piece steel fabricated fascia, available in a choice of metallic or Black Painted finish.



Black Nickel & Chrome



Chrome



Matte Black



# Accessories

## Volantra fascias

The Volantra is a one-piece steel fabricated fascia, available in a choice of metallic or Black Painted finish.



Black Nickel & Chrome



Brass



Chrome



Matte Black





# Accessories

## Volantra XT fascias

The Contemporary is a one-piece steel fabricated fascia.  
Not suitable for Gosford Plus or Durlston Balanced Flue models.  
Not suitable for slide control or Easy Flame Control system.



Chrome



Satin Silver



Brass

## Dalliance fascias

The Dalliance is a one-piece fabricated steel fascia.  
Available in a choice of metallic or Black Painted finish.  
Suitable for all models and control types.



Satin Silver



Black Painted



Chrome

## Signature fascias

The Signature is a one-piece steel fabricated fascia.  
Brass & Black finish is not suitable for Durlston BF model.



Chrome & Black



Satin Silver & Chrome



Brass & Black



Black Nickel & Chrome



Black Nickel & Black

## Embrace fascias

Embrace and Arcadia are one-piece cast iron fascias in a combination of Black painted with optional metallic plated finish. Suitable for all Kohlangaz models apart from those with an Easy Flame Control system.



Chrome & Black



Gold & Black



Black Nickel & Black

## Arcadia fascias



Black & Gold



Black & Chrome



# Accessories

## Standard trims

High quality steel fabricated trims in a range of metallic and paint finishes.



## Signature trims

High quality steel fabricated trims in a range of metallic and paint finishes.

Brass & Black finish is not suitable for Durlston BF model.



## Ultimo trims

A superior cast iron trim, black painted with a choice of metallic colour plating. Suitable for all Kohlangaz hearth inset fires apart from those with an Easy Flame Control system.



## Spacer frames

A black finished 2 inch spacer is available for the following gas fire models. Please note a spacer is not suitable for products fitted with a cast iron trim or fascia.

MARBURY GOSFORD	B-1003890
MARBURY PLUS	1146-1036278B
DESIRE PARRILLA	1200-1017681P
DURLSTON BF (not suitable for EFC)	1126-1036286B



## Blenheim frets

Blenheim and Daisy are traditional styled frets made from Solid Brass or Cast Iron.



## Daisy frets



## Aviva frets

Aviva and Grace are Contemporary styled frets made from Solid Brass or Cast Iron.




## Grace frets



# Online inspiration & information

Tap into a wealth of knowledge and discover everything you need to know about purchasing, fitting & servicing your Kohlangaz fire.

- > Use our intelligent search tools to find your perfect gas fire
- > Find your nearest approved Kohlangaz stockist
- > Download installation and user manuals
- > Register your warranty
- > Watch videos of our stunning gas fires



[www.kohlangazfires.co.uk](http://www.kohlangazfires.co.uk)

Go direct to the Kohlangaz website on your smart phone or tablet device, just scan in this QR code.

## IMPORTANT NOTICE

**WARNING** BFM Europe Limited is a Gas Safe Registered company. We recommend that all of our fires are installed by Gas Safe Register engineers in accordance with our instructions.

**DISCLAIMER** Our policy is one of constant development and improvement. We therefore reserve the right to revise designs and specifications of our products without formal notice, patents pending. We always recommend our products be viewed in an approved showroom before purchase. Whilst we have taken every care in the preparation of this brochure it is not intended to replace the installation manual which provides more detailed information. Photography is for illustration purposes only and although

every effort has been made to ensure accurate reproduction of typical installations and flame pictures they may vary according to fire model and flue types. We accept no liability for any loss or damage arising directly or indirectly from the use of this brochure. We recommend that all our fires are used in conjunction with central heating and not as a primary source of heat. In the interests of personal safety a suitable fireguard is recommended when children, the elderly and the infirm are present.

This brochure is copyrighted and must not be reproduced in whole or in any part without prior written permission.



# Kohlangaz



**MADE  
IN BRITAIN**



**BFM Europe**  
BRITISH FIRE MANUFACTURERS

BFM Europe Ltd, Gordon Banks Drive, Trentham Lakes, Stoke-on-Trent ST4 4TJ  
Tel: 01782 339000 [www.kohlangazfires.co.uk](http://www.kohlangazfires.co.uk) Email: [sales@bfm-europe.com](mailto:sales@bfm-europe.com)