



GAS FIRES 2025



MADE IN BRITAIN





Welcome to Global

At Global Fires we know how important it is to create a stylish and relaxing living environment. That's why we've developed this collection of versatile and affordable gas fires to complement all tastes and lifestyles.



I believe our success stems from a combination of innovative design, investment in technology and the highest quality manufacturing standards. As a result all Global fires carry a 5 year warranty to reflect my belief in their quality and durability, and our experienced Global retailers are hand-picked to give you the very best advice and service.

This brochure has been designed to make the purchase of your new Global fire as simple as possible. I hope you will find it both informative and inspiring.



Today BFM Europe is the fastest growing domestic fire producer in the country with an unequalled reputation for quality and services. Every Global branded gas fire is designed and developed in our ultramodern purpose built, British manufacturing facility in Stoke-on-Trent.



5 Year Warranty

Global gas fires carry a 5 year warranty, subject to terms and conditions.



Product Testing & Certification

All our gas fires are independently tested, approved and verified by the British Standards Institution (BSI) to meet the latest standards for performance, safety and efficiency.

BSI is a completely independent organisation, free from the influence of government, industry, or shareholders. This independence ensures that their testing and certification are fully objective, giving their assessments a level of authority that other organisations can't match.

Their staff are among the most experienced and knowledgeable in the world, and their technical expertise in gas and electrical product testing is internationally recognised. This, combined with their extensive testing facilities, guarantees that our products are put through rigorous assessments with the highest level of integrity.



Ecodesign compliant

This logo signifies that the product is fully compliant with the Eco design directive Commission Regulation (EU) 2015/1188.



Tested & Approved
Conforms to GB legislation

Using this brochure

Before you begin, please view page 6 to confirm your chimney/flue type and the most suitable control. You can then use the icons on each product page to find a fire that’s right for your home.

Unless noted otherwise, our inset fires include a Profiled trim in your choice of brass, chrome, satin silver, or black. You can also upgrade to a different trim or a more modern fascia, and you can customize your fire with one of our traditional or contemporary fret designs.

See pages 16-19 to find all suitable accessories.



high efficiency

Conventional Flue

Glass Fronted Wall Inset

Delta HE.....	7
---------------	---

Glass Fronted Hearth Inset

Saranda HE.....	8
Karara HE.....	9
Fantasy HE.....	10

Open Fronted Hearth Inset

Fantasy Plus	11
Arana Plus.....	12
Arana.....	13
Corda Plus.....	14

Balanced Flue

Glass Fronted Hearth Inset

Fantasy BF.....	15
-----------------	----

standardfires

Conventional Flue

Hearth Inset – Open Fronted

Fantasy	16
---------------	----

Accessories

Fascia	17
Trims.....	18
Frets.....	19

high efficiency

Our high efficiency range combines exceptional heat output with lower running costs.

Our key objective is to develop energy-efficient gas fires that help reduce consumer heating costs. Our developments focus is on innovative solutions that save energy without sacrificing performance.

Conventional Flue Fires

Balanced Flue Fires
93.5% energy efficiency

Glass Fronted Fires



Saranda HE 86%..... 8

Open Fronted Fires



Fantasy Plus 68.3%..... 11

Glass Fronted Fires



Fantasy BF 93.5%..... 14

Our conventional flue fires are up to 86% efficient. The glass front and unique heat exchanger work together to direct both radiant and convected heat into your room, minimizing heat loss up the chimney.

Our open-fronted conventional flue fires are up to 68.3% efficient, offering the look and feel of a real fire. They produce both radiant heat from the fuel bed and convected heat from a built-in heat exchanger, warming your room effectively.

Our high-efficiency balanced flue fires are up to 93.5% efficient. Perfect for homes without a chimney, these glass-fronted, room-sealed appliances use a dedicated flue to vent directly through an outside wall, drawing in and expelling air for combustion.

standardfires

Conventional Flue Fires

Open Fronted Fires




Fantasy..... 15


Standard fires can achieve a direct heat output of up to 2.7kW. It is recommended that these products are not suitable for use as a primary heat source, but are ideal if you are looking for a great fireplace feature for occasional use.


Before you begin...

Type of Chimney or Flue

The type of fire you can have is determined by your chimney or flue. Use our simple guide to identify your chimney type by looking at your roof. Remember, while a full-depth fire typically needs a traditional chimney, a slimline fire can fit most chimneys and flues.

- 


Brick Chimney
Except for our “no chimney” products, Global fires are compatible with brick chimneys, which are easily identified by a chimney stack and a terracotta pot or gas terminal on your roof.
- 

Pre-Fabricated Flue
Pre-fabricated flues are easily identifiable by a metal flue and terminal on the roof and a metal flue box behind the fire.
- 

Pre-Cast Flue
Pre-cast flues can be identified by a ridge vent or metal flue tube and terminal on the roof. Constructed from concrete or clay blocks they form a rectangular section flue. All Global fires featuring this icon are only suitable for pre-cast flues conforming to BS EN 1858.


Can't see a Chimney or Flue?


If you can't see a chimney or flue like the ones described above, then you will require a Balanced Flue fire.


- 


Balanced Flue
Balanced Flue fires use a horizontal pipe to vent directly outside. An electricity supply is not required for Balanced Flue products.


Controls

- 

Manual Control
The simple, discreet control system is located at the bottom of the fire, behind the fret or fascia. Once lit, you can adjust the flame height and heat output by rotating the control knob.
- 

Slide Control
This convenient control is located on the top right-hand side of the fire. Simply push and hold the lever down to ignite it, then move it up or down to adjust the flame height and heat output.
- 

Easy Flame Control (EFC)
Discreet, easy access buttons are used to ignite the fire and adjust heat and flame height.
- 

Remote Control
The remote control handset is used to light the fire as well as to adjust the flame height and heat output.
- 

Remote Control with Thermostat
Use the remote to light the fire, adjust the flame height, and control the heat output. It also includes a thermostatic feature to regulate your room's temperature.

Fuel Bed Effects


- 


Coal
- 

Pebble
- 

Log

Back Panels

- 

Plain Black
- 

Brick Effect

Gas Supply

All our products are designed to run on Natural Gas.



Natural Gas
If you have a gas meter then you will have natural gas.



Coal

*Pebble



Web Link



Natural Gas



Brick Chimney



Pre-Fabricated



Thermostatic Remote



Coal



Pebble
*Optional extra



Plain Black

high efficiency

Conventional Flue

Glass Fronted

Delta HE



This portrait hole-in-the-wall fire features a striking chrome fascia and a 3.4kW heat output. The Delta HE wall inset is the ideal solution for smaller rooms where space is at a premium. The glass fronted Delta HE is operated by thermostatic remote control and comes with a coal fuel bed.

Specifications


Description: Mid depth inset gas fire
Type of Heat: Radiant & Convected

Useful energy efficiency	84.3%
Energy efficiency class	C
Fuel type	Natural gas
Direct heat output	3.4kW

Fuel effect	Control type	Model Number
Coal	Remote	GHKC56RN3

Safety: Flame Supervision Device & Oxygen Depletion Sensor
Air vent required: Not normally

Dimensions



Saranda HE

Ecodesign
Compliant

If you're looking for a gas fire with efficiency in mind this has to be the product for you. The Saranda HE glass fronted fire features our most realistic full depth coal effect fuel bed and boasts an energy efficiency of 86%. With an impressive 3.9kW output the Saranda HE keeps your heat high and your fuel costs low.

Full range of trims, frets and fascias available. See pages 17-19

Specifications

Description: Full depth inset gas fire
Type of Heat: Radiant & Convected

Useful energy efficiency	86%
Energy efficiency class	C
Fuel type	Natural gas
Direct heat output	3.9kW

Fuel effect	Control type	Model Number
Coal	Manual	GHEC00MN
	Slide	GHEC00SN
	Remote	GHEC00RN2

Safety: Flame Supervision Device & Oxygen Depletion Sensor
Air vent required: Not normally

Dimensions

A

B

C

D

E

A

B

C

D

E

A

B

C

D

E

Dimensions A & B refer to Profiled trim only

Adonis cast iron black fascia.

Natural Gas

Brick Chimney

Pre-Fabricated

Manual

Slide

Thermostatic Remote

Coal

Plain Black

Web Link



Contemporary fascia in satin silver

*Pebble. Manual control only
Contemporary fascia in chrome

Web Link

Natural Gas

Brick Chimney

Pre-Fabricated

Pre-Cast

Manual

Slide

Coal

Pebble

Plain Black

*Optional extra

Karara HE

Ecodesign
Compliant

The slimline Karara HE is the high energy efficiency solution for almost any flue type. Suitable for brick chimney, pre-fabricated and pre-cast flues, this glass fronted product delivers an amazing 2.9kW heat output and has an energy efficiency of 81.3%.

Full range of trims, frets and fascias available. See pages 17-19

Specifications

Description: Slimline inset gas fire
Type of Heat: Radiant & Convected

Useful energy efficiency	81.3%
Energy efficiency class	D
Fuel type	Natural gas
Direct heat output	2.9kW

Fuel effect	Control type	Model Number
Coal	Manual	GSHC00MN
	Slide	GSHC00SN2

Safety: Flame Supervision Device & Oxygen Depletion Sensor
Air vent required: Not normally

Dimensions

A

B

C

D

E

A

B

C

D

E

A

B

C

D

E

Dimensions A & B refer to Profiled trim only.

Fantasy HE

Ecodesign
Compliant

The Fantasy HE features a highly realistic full depth fuel bed and will fit most chimney and flue applications, including pre-cast when fitted with a 3" rebated surround. This glass fronted fire provides an impressive 3.4kW heat output and 84.3% energy efficiency. With a coal fuel effect and manual, slide or thermostatic remote control, you will certainly find a model to suit your taste and needs.

Full range of trims, frets and fascias available. See pages 17-19

Specifications

Description: Mid depth inset gas fire

Type of Heat: Radiant & Convected

	Manual/Slide	Remote
Useful energy efficiency	84.3%	84.3%
Energy efficiency class	D	C
Fuel type	Natural gas	Natural gas
Direct heat output	3.4kW	3.4kW

Fuel effect	Control type	Model Number
Coal/Pebble	Manual	GHKC00MN2
	Slide	GHKC00SN2
	Remote	GHKC00RN3

Safety: Flame Supervision Device & Oxygen Depletion Sensor

Air vent required: Not normally

Dimensions

A

595mm

B

500mm

C

550mm

D

180mm

E

327mm

F

365mm

G

110mm

Dimensions A & B refer to Profiled trim only.

2 inch black spacer available on this product. Part no. B-1003890

Spacer not suitable with cast iron trims or fascias.

*Pebble Dalliance fascia in chrome

Coal with Dalliance fascia in chrome

Natural Gas

Brick Chimney

Pre-Fabricated

Pre-Cast

Manual

Slide

Thermostatic Remote

Coal

Pebble

*Optional extra

Plain Black

Web Link

high

efficiency

Conventional

Flue

Open Fronted

Fantasy Plus

Ecodesign
Compliant

The Fantasy Plus boasting an amazing 68.3% energy efficiency can be installed in to almost any chimney or flue, including pre-cast when fitted with a 3" rebated fire surround. This open-fronted gas fire features a highly realistic coal fuel effect and is available in manual, slide or remote control.

Full range of trims, frets and fascias available. See pages 17-19

Specifications

Description: Mid depth inset gas fire

Type of Heat: Radiant & Convected

Useful energy efficiency	68.3%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.2kW

Fuel effect	Control type	Model Number
Coal/Pebble	Manual	GKPC00MN
	Slide	GKPC00SN
	Remote	GKPC00RN2

Safety: Flame Supervision Device & Oxygen Depletion Sensor

Air vent required: Not normally

Dimensions

A

600mm

B

498mm

C

548mm

D

170mm

E

365mm

Dimensions A & B refer to Profiled trim only.

2 inch black spacer available on this product. Part no. B-1003890

Spacer not suitable with cast iron trims or fascias.

Signature fascia in black nickel & black

*Pebble, Signature trim, Grace fret in satin silver & chrome

Natural Gas

Brick Chimney

Pre-Fabricated

Pre-Cast

Manual

Slide

Remote

Coal

Pebble

*Optional extra

Plain Black

Web Link

10

11

Arana Plus



The Arana Plus is our first full depth open-fronted high efficiency gas fire. You can now achieve the look of a real open coal fire at an incredible 66.7% energy efficiency. Suitable for installation into standard chimneys the Arana Plus comes in a choice of manual, slide or remote control and can be styled with our wide choice of accessories.

Full range of trims, frets and fascias available. See pages 17-19

Specifications


Description: Full depth inset gas fire
Type of Heat: Radiant & Convected

Useful energy efficiency	66.7%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.1kW

Fuel effect	Control type	Model Number
Coal	Manual	GOPC00MN
	Slide	GOPC00SN
	Remote	GOPC00RN2

Safety: Flame Supervision Device & Oxygen Depletion Sensor
Air vent required: Not normally

Dimensions



Dimensions A & B refer to Profiled trim only



Natural Gas



Brick Chimney



Pre-Fabricated



Manual



Slide



Remote



Coal



Plain Black



Web Link



Signature trim in brass & black, Blenheim fret in antique brass

Arana



The Arana features one of the most realistic coal effects on the market and offers an amazing 3.7kW of heat. This open-fronted fire is capable of delivering a higher heat output through the use of a heat exchanger which draws in the cool room air and converts it to warm convected air. Manual and slide control models are available.

Full range of trims, frets and fascias available. See pages 17-19

Specifications


Description: Full depth inset gas fire
Type of Heat: Radiant & Convected

Useful energy efficiency	60%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	3.7kW

Fuel effect	Control type	Model Number
Coal	Manual	GICC00MN
	Slide	GICC00SN

Safety: Flame Supervision Device & Oxygen Depletion Sensor
Air vent required: Not normally

Dimensions



Dimensions A & B refer to Standard trim only.
2 inch black spacer is available Part no. B-1003890
Spacer not suitable with cast iron trims or fascias.



Natural Gas



Brick Chimney



Pre-Fabricated



Manual



Slide



Coal



Plain Black



Web Link



Arana, Profiled trim in brass, Bauhaus fret in gold

Open Fronted

Corda Plus



The Corda Plus is one of the most efficient open-fronted slimline gas fires available today and with a heat output of up to 4kW it is also one of the warmest products suitable for a pre-cast flue.

The Corda Plus is available in a choice of manual, slide, or remote control. This extremely versatile fire can be styled with a wide range of Global accessories.

Full range of trims, frets and fascias available. See pages 17-19

Specifications


Description: Slimline inset gas fire
Type of Heat: Radiant & Convected

	Manual	Remote
Useful energy efficiency	66.8%	66.8%
Energy efficiency class	F	F
Fuel type	Natural gas	Natural gas
Direct heat output	4.0kW	3.8kW

Fuel effect	Control type	Model Number
Coal/Pebble	Manual	GSPC00MN
	Slide	GSPC00SN
	Remote	GSPC00RN2

Safety: Flame Supervision Device & Oxygen Depletion Sensor
Air vent required: Not normally

Dimensions



Dimensions A & B refer to Standard trim only.
Comes with a 1 inch space as standard. 2 inch black spacer is available Part no. 1146-1036278B
Spacer not suitable with cast iron trims or fascias.



⁂Pebble, Deluxe Contemporary
fascia in satin silver

Coal with Deluxe Contemporary fascia in textured black



Natural Gas



Brick Chimney



Pre-Fabricated



Pre-Cast



Manual



Slide



Remote



Coal



Pebble



Plain Black

*Optional extra



Web Link

Glass Fronted

Fantasy BF



The Fantasy Balanced Flue is the perfect solution for those who like the look of a full depth fire but don't have a standard chimney or flue in their home. With 93.5% energy efficiency, this glass fronted fire is the most efficient product in our range and offers an impressive 3.9kW heat output.

This fire can be installed easily into most standard cavity walls when fitted with a 3" rebated fire surround.

Full range of trims, frets and fascias available. See pages 17-19

Specifications


Description: Full depth inset gas fire
Type of Heat: Radiant & Convected

Useful energy efficiency	93.5%
Energy efficiency class	B
Fuel type	Natural gas
Direct heat output	3.9kW

Fuel effect	Control type	Model Number
Natural Gas	Manual	GBFC00MN2
	Easy Flame	GBFC00EN3
	Remote	GBFC00RN3
Coal	Manual	GBFL00MN
	Remote	GBFL00RN

Safety: Flame Supervision Device
Air vent required: No

Dimensions



Dimensions A & B refer to Profiled trim only. *Dimensions differ on Easy Flame control models. Refer to installation manual. Optional flue extension available to increase the maximum flue length to 1010mm on manual models and 973mm on Easy Flame models.

This product comes with a standard 20mm black spacer, a 2 inch black spacer is available on this product. Part no. 1126-1036286B (not suitable for EFC model)
Spacer not suitable with cast iron trims or fascias.



Signature trim in black nickel & black, Daisy fret in black nickel

Signature trim Daisy fret in
satin silver & chrome



Web Link



Natural Gas



Balanced Flue



Manual



EFC



Thermostatic Remote



Coal



Log



Plain Black



Coal, Signature trim in satin silver & chrome, Daisy fret in satin silver & chrome

*Pebble,DeluxeContemporary fascia in satin silver



Web Link



Natural Gas



Brick Chimney



Pre-Fabricated



Pre-Cast



Manual



Slide



Remote



Coal



Pebble

*Optional extra



Plain Black

standardfires

Conventional Flue

Open Fronted

Fantasy



The Fantasy features an outstanding coal or pebble fuel effect and beautiful flame picture. This open-fronted fire provides a maximum heat output of 2.7kW and can be installed into most chimney or flues, including precast (BS EN 1858) when fitted with a 3”/75mm rebated surround.

Full range of trims, frets and fascias available. See pages 17-19

Specifications

Description: Mid depth inset gas fire
Type of Heat: Radiant


Conventional

Direct Heat Output	2.7kW
Fuel type	Natural gas

Fuel effect	Control type	Model Number
Coal	Manual	GRDC00MN
Coal	Slide	GRDC00SN
Coal	Remote	GRDC00RN2

This product is not suitable for primary heating purposes
Safety: Flame Supervision Device & Oxygen Depletion Sensor
Air vent required: Not normally

Dimensions



Dimensions A & B refer to Profiled trim only.

Fascia options

Arcadia

A cast iron fascia in a combination of black painted with optional colour plated finish. Suitable for all Global hearth inset gas fires.

Not suitable for Easy Flame Control systems.



BLACK & GOLD BLACK & CHROME

Contemporary

A fabricated steel fascia. Suitable for all Global hearth inset gas fires excluding Arana Plus and Fantasy BF.

Not suitable for slide control or Easy Flame Control systems.



BRASS CHROME SATIN SILVER

Embrace

A cast iron fascia in a combination of black painted and optional colour plated finish. Suitable for all Global hearth inset gas fires.

Not suitable for Easy Flame Control systems.



GOLD & BLACK CHROME & BLACK BLACK NICKEL & BLACK

Deluxe Contemporary

A fabricated steel fascia with angled form. Suitable for all Global hearth inset gas fires excluding Fantasy BF.

Not suitable for slide control systems.



SATIN SILVER TEXTURED BLACK

Dalliance

A fabricated steel fascia. Suitable for all Global hearth inset gas fires.



CHROME SATIN SILVER MATT BLACK

Delta

The Delta is a one-piece fabricated steel fascia.

WALL INSET

Suitable for Delta HE.

Not suitable for slide control systems.



CHROME

Signature

A fabricated steel fascia. Suitable for all Global hearth inset gas fires.

Brass & Black finish is not suitable for Fantasy BF.



BRASS & BLACK CHROME & BLACK SATIN SILVER & CHROME BLACK NICKEL & CHROME BLACK NICKEL & BLACK

Adonis

A curved cast iron fascia with traditionally styled aesthetics.

Suitable for all Global hearth inset gas fires and control options, excluding Fantasy BF.



CAST IRON BLACK

Trim options

Signature

The Signature is a quality steel fabricated trim in a range of metallic and paint finishes. Suitable for all Global hearth inset gas fires. Brass & Black finish is Not suitable for Fantasy BF model.



BRASS & BLACK



CHROME & BLACK



SATIN SILVER & CHROME



BLACK NICKEL & CHROME



BLACK NICKEL & BLACK

Profiled

The Profiled is a quality steel fabricated trim in a range of metallic and paint finishes. Suitable for all Global hearth inset gas fires.



BRASS



CHROME



SATIN SILVER



BLACK

Standard

The Standard is a quality steel fabricated trim in a range of metallic and paint finishes. Suitable for all Global hearth inset gas fires.



BRASS



CHROME



SATIN SILVER



BLACK

Ultimo

The Ultimo is a cast iron trim with a black painted and optional colour plated finish. Suitable for all Global hearth inset gas fires. Not suitable for Easy Flame Control systems.



GOLD & BLACK



CHROME & BLACK



BLACK NICKEL & BLACK

Curved

The Curved trim is made from a high quality extruded aluminium and is available in a black paint finish. Suitable for all Global hearth inset gas fires. Not suitable for Slide control models.



BLACK

Spacer

A black finished 2 inch spacer is available for the following gas fire models.
Please note a spacer is not suitable if the product is to be fitted with a cast iron trim or fascia.

FANTASY HE B-1003890
FANTASY PLUS B-1003890
FANTASY B-1003890
ARANA B-1003890

FANTASY BF I126-1036286B

CORDA PLUS I146-1036278B



Fret options

Traditionally Styled Frets

Blenheim 16"



BRASS



ANTIQUE BRASS



CHROME



ANTIQUE CHROME




MATT BLACK

Daisy 16"



ANTIQUE BRASS



SATIN SILVER & CHROME



BLACK NICKEL

Aviva 16"



CHROME



BLACK NICKEL

Contemporary Styled Frets

Grace 16"



BRASS



CHROME



SATIN SILVER & CHROME

Bauhaus 18"



GOLD



CHROME



SATIN SILVER

Aegis 18"



BRASS



SATIN SILVER



BLACK



BLACK NICKEL



MATT BLACK



WARNING BFM Europe Limited is a Gas Safe Register company. We recommend that all of our fires are installed by Gas Safe Register engineers in accordance with our instructions.

DISCLAIMER Our policy is one of constant development and improvement. We therefore reserve the right to revise designs and specifications of our products without formal notice, patents pending. We always recommend our products be viewed in an approved showroom before purchase. Whilst we have taken every care in the preparation of this brochure it is not intended to replace the installation manual which provides more detailed information. Photography is for illustration purposes only and although every effort has been made to ensure accurate reproduction of typical installations and flame pictures they may vary according to fire model and flue types. We accept no liability for any loss or damage arising directly or indirectly from the use of this brochure.

We recommend that all our fires are used in conjunction with central heating and not as a primary source of heat. In the interests of personal safety a suitable fireguard is recommended when children, the elderly and the infirm are present. (This brochure is copyrighted and must not be reproduced in whole or in any part without prior written permission).



BFM Europe
BRITISH FIRE MANUFACTURERS

BFM Europe Ltd, Gordon Banks Drive, Trentham Lakes, Stoke-on-Trent ST4 4TJ
Tel: 01782 339000 www.globalfires.co.uk Email: sales@bfm-europe.com