

# Proflame 1250

Natural Oak Fuel-bed Layout

### Layout Contents




\*Spare / Extra bag(s) of wood chips Included if more is required

**NOTE:** The logs have been selected and identified specifically for the following layout however, the layout is completely customisable and can be arranged as desired.




## Suggested Log Layout


As previously mentioned, the layout of the logs is completely customisable and can be arranged as desired however, please see steps 1 - 17 below for our recommendation.




Position Log A in the centre of the fuel bed. Make sure it is pushed back close to the rear screen.




Add the large chips either side of **Log A** ensuring the chips are spread evenly. \*Retain a small quantity (minimum half a bag) to be used later in **Step 16.** 


















## Finishing Touches...



Carefully add the "Small wood chips" **(15)** around the edges of the fuel bed.

**Note: -** Take extra care to minimise dropping any of the chipping in the gap / Glass retaining channel at the front of the fire.







Now add a few extra pieces of the large wood chip on top of the small wood chips. This helps to create a more natural finish.



Clear the glass retaining channel of any 'Chippings' that may have dropped in. Re-install the glass...





... sit back and **marvel** at your creation!

### All Done!

### SHARE IT!

Go on, its time to brag! We'd love to see your masterpiece. Share it on social media. Don't forget to use the hashtags

#Flavelproflame #myFlavelelectric #Flavelfires





BFM Europe Ltd Trentham Lakes Stoke-on-Trent ST4 4TJ

Tel: 01782 339 000 Email: sales@bfm-europe.com

1167-1045127-01